

兔抗 DNAI2 多克隆抗体

中文名称:	兔抗 DNAI2 多克隆抗体
英文名称:	Anti-DNAI2 rabbit polyclonal antibody
别名:	dynein axonemal intermediate chain 2; DIC2; CILD9
相关类别:	一抗
储存:	冷冻 (-20℃)
宿主:	Rabbit
抗原:	DNAI2
反应种属:	Human, Mouse, Rat
标记物:	Unconjugate
克隆类型:	rabbit polyclonal

技术规格

Background:	The protein encoded by this gene belongs to the dynein intermediate chain family, and is part of the dynein complex of respiratory cilia and sperm flagella. Mutations in this gene are associated with primary ciliary dyskinesia type 9. Alternatively spliced transcript variants encoding different isoforms have been noted for this gene. [provided by RefSeq, Mar 2010]
Applications:	ELISA, WB, IHC
Name of antibody:	DNAI2
Immunogen:	Fusion protein of human DNAI2
Full name:	dynein axonemal intermediate chain 2
Synonyms:	DIC2; CILD9
SwissProt:	Q9GZS0

ELISA Recommended dilution:	5000-10000
IHC positive control:	Human ovarian cancer and Human colorectal cancer
IHC Recommend dilution:	100-200
WB Predicted band size:	69 kDa
WB Positive control:	A549 cell, Human cerebella tissue, LOVO and Jurkat cell lysates
WB Recommended dilution:	500-2000



